

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office APR 8 1983

Returned to applicant for correction MAY 17 1983

Corrected application filed JUL 5 1983 Map filed JUL 5 1983

The applicant Edgewater Hotel & Casino, successor to Freebee Corporation

P.O. Box 642 of Laughlin
Street and No. or P.O. Box No. City or Town

Nevada 89046 hereby make application for permission to change the
State and Zip Code No.

Place of Use
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Application 40757
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is Underground Aquifer
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 0.057 cfs
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Commercial (Casino-Hotel)
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Commercial (Casino-Hotel)
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point in SW $\frac{1}{4}$ of NW $\frac{1}{4}$ Section 13 T32S R66E,
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.
MDM from which the West one-quarter corner bears S 60°00'00" W 500.00 feet.

6. The existing permitted point of diversion is located within same
If point of diversion is not changed, do not answer.

7. Proposed place of use Parts of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Government Lot 2, Government
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated;
Lot 3 & Government Lot 4, Section 13, T32S R66E, MDM.

8. Existing place of use Parts of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Government Lot 2 and
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.
Government Lot 3, Section 13, T32S R66E, MDM.

9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 400" 8" Well w/200 gpm submersible
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.
pump into 250,000 gallon storage tank. Two 500 gpm fire pumps, 120 gpm pump
into 8" main to Hotel.

12. Estimated cost of works \$100,000.00

13. Estimated time required to construct works Works are constructed

14. Estimated time required to complete the application of water to beneficial use Two years
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

2 casinos, 2 restaurants, 965 hotel rooms, 1 bowling alley,

support facilities. Total allocated water 0.057 cfs 40.3 AF/yr.

By s/Robert J. McNutt
Robert J. McNutt
P.O. Box 539
Las Vegas, NV 89125-0539

Compared js/tls br/bc

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of the waters of an underground source as heretofore granted under Permit 40757 is issued subject to the terms and conditions imposed in said Permit 40757 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

No perforations shall be put in the production casing from ground level to 100 feet.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.057 cubic feet per second, but not to exceed 13.14 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before June 9, 1984

Proof of completion of work shall be filed before July 9, 1984

Application of water to beneficial use shall be made on or before June 9, 1985

Proof of the application of water to beneficial use shall be filed on or before July 9, 1985

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed JUL 21 1986

Proof of beneficial use filed JUL 15 1987

Cultural map filed _____

Certificate No. 12389 Issued JAN 17 1990

IN TESTIMONY WHEREOF, I, PETER G. MORROS,
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 3rd day of JANUARY

A.D. 1984


 State Engineer

2407 (Rev. 6-81)

Assigned by 52092 0.057 cfs